WEST Search History for Application 10669948

Query	DB	Op.	Plur.	Thes.	Date
(718/1 718/103 718/104).ccls.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			06-22-2009
(718/102).ccls.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			06-22-2009
(711/155).ccls.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			06-22-2009
(707/8 707/9).ccls.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			06-22-2009
DICE-DAVID!	TDBD, DWPI, JPAB, EPAB, USOC, USPT, PGPB	OR			06-22-2009
MOIR-MARK-S!	TDBD, DWPI, JPAB, EPAB, USOC,	OR			06-22-2009

	USPT, PGPB			
SCHERER-WILLIAM-L!	TDBD, DWPI, JPAB, EPAB, USOC, USPT, PGPB	OR		06-22-2009
SCHERER-WINFRIED!	TDBD, DWPI, JPAB, EPAB, USOC, USPT, PGPB	OR		06-22-2009
(dominant near (process or thread)).ab,ti.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		06-22-2009
(dominant near (process or thread))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		06-22-2009
lock and ((dominant near (process or thread)))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		06-22-2009
(dominant near (process or thread)) with lock	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		06-22-2009
over\$1writ\$4 and ((dominant near (process or thread)))	PGPB, USPT,	OR		06-22-2009

	USOC, EPAB, JPAB, DWPI, TDBD			
(java adj virtual adj machine or jvm) with (monitor\$3 or lock)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		06-22-2009
((dominant near (process or thread))) and ((java adj virtual adj machine or jvm) with (monitor\$3 or lock))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		06-22-2009
over\$1writ\$3 and ((dominant near (process or thread)) and (java adj virtual adj machine or jvm) with (monitor\$3 or lock))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		06-22-2009
over\$1writ\$3 and ((java adj virtual adj machine or jvm) with (monitor\$3 or lock))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		06-22-2009
((partail or perferen\$5 or dominiant or favor\$7) and ((acquir\$3 or releas\$3) near (monitor or lock or semaphore))).ab,ti.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		06-22-2009
((partail or perferen\$5 or dominiant or favor\$7) and ((acquir\$3 or releas\$3) near (monitor or lock or semaphore)))	PGPB, USPT, USOC, EPAB, JPAB, DWPI,	OR		06-22-2009

	TDBD		
(java adj virtual adj machine or jvm) and (((partail or perferen\$5 or dominiant or favor\$7) and ((acquir\$3 or releas\$3) near (monitor or lock or semaphore)))))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	06-22-2009
re\$1acquir\$3 wtih (monitor or locks)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	06-22-2009
re\$1acquir\$3 with (monitor or locks)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	06-22-2009
@ad<20020924 and (re\$1acquir\$3 with (monitor or locks))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	06-22-2009
(java adj virtual adj machine or jvm) and (@ad<20020924 and re\$1acquir\$3 with (monitor or locks))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	06-22-2009
((partial or perferen\$5 or dominiant or favor\$7) near (thread or process)) same ((acquir\$3 or releas\$3) near (monitor or lock or semaphore))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	06-22-2009
((partial or perferen\$5 or dominiant or favor\$7) near (thread or process)) with(monitor or lock or semaphore)	PGPB, USPT, USOC,	OR	06-22-2009

	EPAB, JPAB, DWPI, TDBD			
@ad<20020924 and (((partial or perferen\$5 or dominiant or favor\$7) near (thread or process)) with(monitor or lock or semaphore))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		06-22-2009
((partial or perferen\$5 or dominiant or favor\$7) near (thread or process)) withover\$1writ\$3	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		06-22-2009
((partial or perferen\$5 or dominiant or favor\$7) near (thread or process)) with over\$1writ\$3	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		06-22-2009
((partial or perferen\$5 or dominiant or favor\$7) near (relation\$4 or treatment))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		06-22-2009
((acquir\$3 or releas\$3) near (monitor or lock or semaphore)) and (((partial or perferen\$5 or dominiant or favor\$7) near (relation\$4 or treatment)))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		06-22-2009
(free or without or no) with (rmw or read\$5write)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		06-22-2009

((acquir\$3 or releas\$3) near (monitor or lock or semaphore)) and ((free or without or no) with (rmw or read\$5write))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	06-22-2009
(java adj virtual adj machine or jvm) and (((acquir\$3 or releas\$3) near (monitor or lock or semaphore)) and (free or without or no) with (rmw or read\$5write))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	06-22-2009
(free or without) with (rmw or read\$1modify\$1write)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	06-22-2009
@ad<20020924 and ((free or without) with (rmw or read\$1modify\$1write))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	06-22-2009
((718/1 718/103 718/104).ccls.) or ((718/102).ccls.) or ((711/155).ccls.) or ((707/8 707/9).ccls.)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	06-22-2009
(@ad<20020924 and (free or without) with (rmw or read\$1modify\$1write)) and ((718/1 718/103 718/104).ccls. or (718/102).ccls. or (711/155).ccls. or (707/8 707/9).ccls.)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	06-22-2009
(acqui\$6 and releas\$3) near sequences with (rmw or read\$1modify\$1write)	PGPB, USPT, USOC, EPAB,	OR	06-22-2009

	JPAB, DWPI, TDBD		
(acqui\$6 and releas\$3) near sequences same (rmw or read\$1modify\$1write)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	06-22-2009
(acqui\$6 and releas\$3) near sequences and (rmw or read\$1modify\$1write)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	06-22-2009
(acqui\$6 and releas\$3) and (rmw or read\$1modify\$1write)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	06-22-2009
(java adj virtual adj machine or jvm) and ((acqui\$6 and releas\$3) and (rmw or read\$1modify\$1write))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	06-22-2009
(java adj virtual adj machine or jvm) and (rmw or read\$1modify\$1write)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	06-22-2009
atomic near read\$1modify\$1write with (monitor or locks)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	06-22-2009
		OR	06-22-2009

@ad<20020924 and (atomic near read\$1modify\$1write with (monitor or locks))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD		
memory near barrier with (read\$3 and writ\$3)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	06-22-2009
memory near barrier same (read\$3 and writ\$3)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	06-22-2009
(java adj virtual adj machine or jvm) and (memory near barrier same (read\$3 and writ\$3))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	06-22-2009
memory near barrier with mutual near exclusion	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	06-22-2009
(free or without or no) with re\$1order\$3 with (read\$3 or writ\$3)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	06-22-2009
(memory near barrier or mutual near exclusion) and ((free or without or no) with re\$1order\$3 with (read\$3 or writ\$3))	PGPB, USPT, USOC, EPAB,	OR	06-22-2009

	JPAB, DWPI, TDBD		
aacqui\$6 with re\$1order\$3	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	06-22-2009
acqui\$6 with re\$1order\$3	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	06-22-2009
(java adj virtual adj machine or jvm) and (acqui\$6 with re\$1order\$3)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	06-22-2009
((partial or perferen\$5 or dominiant or favor\$7) near (thread or process)) and (acqui\$6 with re\$1order\$3)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	06-22-2009
(rmw or read near modify near write or atomic) with fast	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	06-22-2009
(mutex or mutual near exclusion) and ((rmw or read near modify near write or atomic) with fast)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	06-22-2009
'6438573'.pn.	USPT	OR	06-22-2009

'6401110'.pn.	USPT	OR	06-22-2009
'6345313'.pn.	USPT	OR	06-22-2009
'6295602'.pn.	USPT	OR	06-22-2009
'6199094'.pn.	USPT	OR	06-22-2009
'6029190'.pn.	USPT	OR	06-22-2009
((acquisition or releas\$3) with (sequences or lock or semaphore)) same ((without or "not" or free) near (read\$1modify\$1write or rmw or atomic\$4 near (instruction or operation)))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	06-22-2009
((acquisition or releas\$3) with (sequences or lock or semaphore)) and ((without or "not" or free) near (read\$1modify\$1write or rmw or atomic\$4 near (instruction or operation)))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	06-22-2009
'6651146'.pn.	USPT	OR	06-22-2009
'6581063'.pn.	USPT	OR	06-22-2009
'6473820'.pn.	USPT	OR	06-22-2009
'6473820'.pn.	USPT	OR	06-22-2009
'6473820'.pn.	USPT	OR	06-22-2009
'6473820'.pn.	USPT	OR	06-22-2009
'6473820'.pn.	USPT	OR	06-22-2009
'6415334'.pn.	USPT	OR	06-22-2009
'6389452'.pn.	USPT	OR	06-22-2009
'6023700'.pn.	USPT	OR	06-22-2009
((without or "not" or free) near (read\$1modify\$1write or rmw or atomic\$4 near (instruction or operation)))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	06-22-2009
(mbar or mem\$1bar or memory near barrier) and (((without or "not" or free) near (read\$1modify\$1write	PGPB, USPT,	OR	06-22-2009

or rmw or atomic\$4 near (instruction or operation))))	USOC, EPAB, JPAB, DWPI, TDBD			
(patial\$3 or preferential\$3 or bias\$5) with (lock or semaphore)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		06-22-2009
(mbar or mem\$1bar or memory near barrier) and ((patial\$3 or preferential\$3 or bias\$5) with (lock or semaphore))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		06-22-2009
@ad<20020924 and ((patial\$3 or preferential\$3 or bias\$5) with (lock or semaphore))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		06-22-2009
(read\$3 and writ\$3) near (instruction or operation) and (@ad<20020924 and (patial\$3 or preferential\$3 or bias\$5) with (lock or semaphore))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		06-22-2009
(read\$3 and writ\$3) and (@ad<20020924 and (patial\$3 or preferential\$3 or bias\$5) with (lock or semaphore))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		06-22-2009
barrier and ((read\$3 and writ\$3) and @ad<20020924 and (patial\$3 or preferential\$3 or bias\$5) with (lock or semaphore))	PGPB, USPT, USOC, EPAB, JPAB, DWPI,	OR		06-22-2009

	TDBD		
cross\$1call	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	06-22-2009
(mbar or mem\$1bar or memory near barrier or barrier) and (cross\$1call)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	06-22-2009
cross near call	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	06-22-2009
(mbar or mem\$1bar or memory near barrier or barrier) and (cross near call)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	06-22-2009
(mbar or mem\$1bar or memory near barrier or barrier) and compil\$6	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	06-22-2009
(read\$3 and writ\$3) and ((mbar or mem\$1bar or memory near barrier or barrier) and compil\$6)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	06-22-2009
(lock or semaphore) with monitor\$3	PGPB, USPT, USOC,	OR	06-22-2009

	EPAB, JPAB, DWPI, TDBD			
((read\$3 and writ\$3) and (mbar or mem\$1bar or memory near barrier or barrier) and compil\$6) and ((lock or semaphore) with monitor\$3)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		06-22-2009
@ad<20020924 and ((read\$3 and writ\$3) and (mbar or mem\$1bar or memory near barrier or barrier) and compil\$6 and (lock or semaphore) with monitor\$3)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		06-22-2009
(mbar or mem\$1bar or memory near barrier or barrier) with handler	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		06-22-2009
@ad<20020924 and ((mbar or mem\$1bar or memory near barrier or barrier) with handler)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		06-22-2009
(mcs or tatas) near (lock or semaphore)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		06-22-2009
(avoid\$4 with (read\$1modify\$1write or rmw or atomic\$4 near (instruction or operation)))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		06-22-2009

(mbar or mem\$1bar or memory near barrier or barrier) and ((avoid\$4 with (read\$1modify\$1write or rmw or atomic\$4 near (instruction or operation))))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	06-22-2009
((mbar or mem\$1bar or memory near barrier or barrier) or (tso or total near store near order)) with (read\$3 and writ\$3)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	06-22-2009
((lock or semaphore) with monitor\$3) and (((mbar or mem\$1bar or memory near barrier or barrier) or (tso or total near store near order)) with (read\$3 and writ\$3))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	06-22-2009
fast with ((acquisition or releas\$3) with (sequences or lock or semaphore))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	06-22-2009
(mbar or mem\$1bar or memory near barrier or barrier) and (fast with ((acquisition or releas\$3) with (sequences or lock or semaphore)))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	06-22-2009
@ad<20020924 and ((mbar or mem\$1bar or memory near barrier or barrier) and fast with ((acquisition or releas\$3) with (sequences or lock or semaphore)))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	06-22-2009
(without or "not" or free) with (mbar or mem\$1bar or memory near barrier or barrier)	PGPB, USPT, USOC, EPAB,	OR	06-22-2009

	JPAB, DWPI, TDBD			
@ad<20020924 and ((without or "not" or free) with (mbar or mem\$1bar or memory near barrier or barrier))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		06-22-2009
(read\$3 and writ\$3) and (@ad<20020924 and (without or "not" or free) with (mbar or mem\$1bar or memory near barrier or barrier))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		06-22-2009
monitor\$3 and ((read\$3 and writ\$3) and @ad<20020924 and (without or "not" or free) with (mbar or mem\$1bar or memory near barrier or barrier))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		06-22-2009
java and (monitor\$3 and (read\$3 and writ\$3) and @ad<20020924 and (without or "not" or free) with (mbar or mem\$1bar or memory near barrier or barrier))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		06-22-2009
(patial\$3 or preferential\$3 or bias\$5) with (lock or semaphore) with monitor\$3	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		06-22-2009
@ad<20020924 and ((patial\$3 or preferential\$3 or bias\$5) with (lock or semaphore) with monitor\$3)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		06-22-2009
		OR		06-22-2009

((allocat\$3 or acquisition or releas\$3) with (sequences or lock or semaphore)) with overhead	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD			
((without or "not" or free) with(read\$1modify\$1write or rmw or atomic\$4 near (instruction or operation)))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		06-22-2009
(((allocat\$3 or acquisition or releas\$3) with (sequences or lock or semaphore)) with overhead) and (((without or "not" or free) with(read\$1modify\$1write or rmw or atomic\$4 near (instruction or operation))))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		06-22-2009
((without or "not" or free) with (mbar or mem\$1bar or memory near barrier or barrier)) and (((without or "not" or free) with(read\$1modify\$1write or rmw or atomic\$4 near (instruction or operation))))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		06-22-2009
(mbar or mem\$1bar or memory near barrier) with (prevent\$3 near (read\$3 or writ\$3) or tso or total near store near order)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		06-22-2009
(mbar or mem\$1bar or memory near barrier) same (prevent\$3 near (read\$3 or writ\$3) or tso or total near store near order)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		06-22-2009
(mbar or mem\$1bar or memory near barrier) and(prevent\$3 near (read\$3 or writ\$3) or tso or total near store near order)	PGPB, USPT, USOC, EPAB,	OR		06-22-2009

	JPAB, DWPI, TDBD			
@ad<20020924 and ((mbar or mem\$1bar or memory near barrier) and(prevent\$3 near (read\$3 or writ\$3) or tso or total near store near order))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		06-22-2009
(complet\$3 or commit\$3) with ((write or read) with (before or after or preced\$3 or follow\$3))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		06-22-2009
(mutex or mutual near exclusion) and ((complet\$3 or commit\$3) with ((write or read) with (before or after or preced\$3 or follow\$3)))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		06-22-2009
@ad<20020924 and ((mutex or mutual near exclusion) and (complet\$3 or commit\$3) with ((write or read) with (before or after or preced\$3 or follow\$3)))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		06-22-2009
fast near path	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		06-22-2009
(@ad<20020924 and (mutex or mutual near exclusion) and (complet\$3 or commit\$3) with ((write or read) with (before or after or preced\$3 or follow\$3))) and (fast near path)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		06-22-2009
		OR		06-22-2009

fast and (@ad<20020924 and (mutex or mutual near exclusion) and (complet\$3 or commit\$3) with ((write or read) with (before or after or preced\$3 or follow\$3)))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD			
re41order43 with (compil\$6 or processor)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		06-22-2009
re\$1order43 with (compil\$6 or processor)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		06-22-2009
(before or after or preced\$3 or follow\$3) with (store and load)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		06-22-2009
(mutex or mutual near exclusion) and ((before or after or preced\$3 or follow\$3) with (store and load))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		06-22-2009
@ad<20020924 and ((mutex or mutual near exclusion) and (before or after or preced\$3 or follow\$3) with (store and load))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		06-22-2009
re\$1order\$3 with (before or after or preced\$3 or follow\$3) with (store and load)	PGPB, USPT, USOC, EPAB,	OR		06-22-2009

	JPAB, DWPI, TDBD			
@ad<20020924 and (re\$1order\$3 with (before or after or preced\$3 or follow\$3) with (store and load))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		06-22-2009
(mutex or mutual near exclusion) and (@ad<20020924 and re\$1order\$3 with (before or after or preced\$3 or follow\$3) with (store and load))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		06-22-2009
compil\$6 and (@ad<20020924 and re\$1order\$3 with (before or after or preced\$3 or follow\$3) with (store and load))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		06-22-2009
re\$1order\$3 with (compil\$6 or processor)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		06-22-2009
(mutex or mutual near exclusion) and (re\$1order\$3 with (compil\$6 or processor))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		06-22-2009
@ad<20020924 and ((mutex or mutual near exclusion) and re\$1order\$3 with (compil\$6 or processor))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		06-22-2009
re\$1order\$3 with (compil\$6)		OR		06-22-2009

	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD			
(mbar or mem\$1bar or memory near barrier) and (re\$1order\$3 with (compil\$6))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		06-22-2009
re\$1order\$3 with (compil\$6) with (read or write)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		06-22-2009
(execut\$4 or processing) with (before or after or preced\$3) with (store and load)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		06-22-2009
(mutex or mutual near exclusion) and ((execut\$4 or processing) with (before or after or preced\$3) with (store and load))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		06-22-2009
NNRD433103	TDBD	OR		06-22-2009
(avoid\$4 or prevent\$3 or eliminat\$3) with race near condition	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		06-22-2009
(mbar or mem\$1bar or memory near barrier) and ((avoid\$4 or prevent\$3 or eliminat\$3) with race near condition)	PGPB, USPT, USOC,	OR		06-22-2009

	EPAB, JPAB, DWPI, TDBD			
(mutex or mutual near exclusion) and ((avoid\$4 or prevent\$3 or eliminat\$3) with race near condition)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		06-22-2009
@ad<20020924 and ((mutex or mutual near exclusion) and (avoid\$4 or prevent\$3 or eliminat\$3) with race near condition)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		06-22-2009
(mbar or mem\$1bar or memory near barrier or synchroniz\$5 or atomic) with overhead	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		06-22-2009
@ad<20020924 and ((mbar or mem\$1bar or memory near barrier or synchroniz\$5 or atomic) with overhead)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		06-22-2009
(mutex or mutual near exclusion) and (@ad<20020924 and (mbar or mem\$1bar or memory near barrier or synchroniz\$5 or atomic) with overhead)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		06-22-2009
(386525 or 4584640 or 4847754 or 5224215 or 6128710 or 6144965 or 6178423 or 6360219 or 6360220 or 6366932 or 6581063 or 6651146).pn.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		06-22-2009

(386525 or 4584640 or 4847754 or 5224215 or 6128710	USPT	OR	06-22-2009
or 6144965 or 6178423 or 6360219 or 6360220 or 6366932 or 6581063 or 6651146).pn.	USFI	OK	00-22-2009
(6826757).pn. or (20010047361 or 20030140085 or 20030174572 or 20030182462 or 20030182465 or 20040015510 or 20040015642 or 20040034673 or 20040153687)	PGPB, USPT	OR	06-22-2009
366585	EPAB	OR	06-22-2009
8600434	EPAB	OR	06-22-2009
0153943	EPAB	OR	06-22-2009
03060705L161	EPAB	OR	06-22-2009
03060705	EPAB	OR	06-22-2009
(without or free\$1 or "no") near (compare\$5 near swap or cas or mbar or mem\$1bar or memory near barrier or atomic near (operattion or instruction or synchronization))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	06-22-2009
@ad<20020924 and ((without or free\$1 or "no") near (compare\$5 near swap or cas or mbar or mem\$1bar or memory near barrier or atomic near (operattion or instruction or synchronization)))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	06-22-2009
(((718/1 718/103 718/104).ccls.) or ((718/102).ccls.) or ((711/155).ccls.) or ((707/8 707/9).ccls.)) and (@ad<20020924 and (without or free\$1 or "no") near (compare\$5 near swap or cas or mbar or mem\$1bar or memory near barrier or atomic near (operattion or instruction or synchronization)))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	06-22-2009
(without or free\$1 or "no") near (mbar or mem\$1bar or memory near barrier or atomic near (operattion or instruction or synchronization))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	06-22-2009
@ad<20020924 and ((without or free\$1 or "no") near (mbar or mem\$1bar or memory near barrier or atomic near (operattion or instruction or synchronization)))	PGPB, USPT, USOC,	OR	06-22-2009

	EPAB, JPAB, DWPI, TDBD			
read with load\$3 with (lock or mutex) near status	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		06-22-2009
cross near domain with (mbar or mem\$1bar or memory near barrier)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		06-22-2009
cross with call with (mbar or mem\$1bar or memory near barrier)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		06-22-2009
cross with process with (mbar or mem\$1bar or memory near barrier)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		06-22-2009
cross with (domain or process) with call and (mbar or mem\$1bar or memory near barrier)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		06-22-2009
cross with call and (mbar or mem\$1bar or memory near barrier)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		06-22-2009

	_			1
cross with (domain or process) with call with (((revok\$3 or revocation) near lock) or un\$1lock\$3)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		06-22-2009
(domain or process) with call with (((revok\$3 or revocation) near lock) or un\$1lock\$3)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		06-22-2009
@ad<20020924 and ((domain or process) with call with (((revok\$3 or revocation) near lock) or un\$1lock\$3))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		06-22-2009
m\$1protect or virtual\$1protect	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		06-22-2009
6826757.pn.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES	06-22-2009
6993770.pn.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES	06-22-2009
7194495.pn.	PGPB, USPT, USOC, EPAB,	OR	YES	06-22-2009

	JPAB, DWPI, TDBD			
7299242.pn.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES	06-22-2009
6144794.pn.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES	06-22-2009
6141794.pn.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES	06-22-2009
6735760.pn.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES	06-22-2009
6877088.pn.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES	06-22-2009
6862674.pn.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES	06-22-2009
7200846.pn.		OR	YES	06-22-2009

	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD			
7254597.pn.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES	06-22-2009
7353342.pn.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES	06-22-2009
7346747.pn.	PGPB, USPT, USOC, EPAB, JPAB,	OR	YES	06-22-2009